

#### APPENDIX B RISK ASSESSMENT PROCEDURES FOR ORDNANCE AND EXPLOSIVES (OE) SITES

Site Name			Rater's Name		<u> </u>
Site Location			Phone Number	,	
DERP Project #		****	Organization		*
Date Completed	. · · · · · · · · · · · · · · · · · · ·		Score	,	•

#### OE RISK ASSESSMENT:

This risk assessment procedure was developed in accordance with MIL-STD 882C and AR 385-10. The Risk Assessment Code (RAC) score will be used by the U.S. Army Engineering and Support Center, Huntsville (USAESCH), Ordnance and Explosives Team (USAESCH-OE) to prioritize the response action(s) at Formerly Used Defense Sites (FUDS). The risk assessment should be based on the best available information resulting from record searches, reports of Explosive Ordnance Disposal (EOD) Detachments actions, field observations, interviews, and measurements. This information is used to assess the risk involved based on the potential OE hazards identified at the site. The risk assessment is composed of two factors, hazard severity and hazard probability. Personnel involved in visits to potential OE sites should view the USAESCH-OE videotape entitled "A Life Threatening Encounter: OEW".

Part I. <u>Hazard Severity</u>. Hazard severity categories are defined to provide a qualitative measure of the worst credible event resulting from personnel exposure to various types and quantities of unexploded ordnance.

TYPE OF ORDNANCE: (Circle all that apply)	VALUE
A. Conventional ordnance and ammunition:	
Medium/large caliber (20mm and larger)	10
Bombs, explosive	10
Grenades, hand or rifle, explosive	10
Landmine, explosive	10
Rockets, guided missile, explosive	10
Detonators, blasting caps, fuzes, boosters, bursters	6
Bombs, practice (w/spotting charges)	. 6
Grenades, practice (w/spotting charges)	4
Landmine, practice (w/spotting charges)	4
Small arms, complete round (.22 cal50 cal)	1
Small arms, expended	0
Practice ordnance (w/o spotting charges)	0
Conventional ordnance and ammunition (largest single value)	

Wha	t evidence do you have regarding conventional unexplode	ed ordnance?_		
В.	Pyrotechnics (for munitions not described above):	:	· · ·	VALUE
	Munition (containers) containing White Phosphorus (WP) or other pyrophoric material (i.e., spontaneously flammable)			10
•	Munition containing a flame or incendiary material (i.e., Napalm, Triethylaluminum metal incendiaries)	n ak	•	6
	Flares, signals, simulators, screening smokes (other than WP)			4
Pyro	otechnics (select the single largest value)	;		
Wha	t evidence do you have regarding pyrotechnics?			
		-		
C.	Bulk High Explosives (HE) (not an integral part of rentional ordnance; uncontainerized):			VALUE
	Primary or initiating explosives (Lead Styphnate, Lead Azide, Nitroglycerin, Mercury Azide, Mercury Fulminate, Tetracene, etc.)			10
	Demolition charges		•	10
	Secondary explosives (PETN, Compositions A, B, C, Tetryl, TNT, RDX, HMX, HBX, Black Powder, etc.)			8
	Military dynamite	•		6
	Less sensitive explosives (Ammonium Nitrate, Explosive D, etc.)			. 3
High	h explosives (select the single largest value)			
Wha	at evidence do you have regarding bulk explosives?			·

		VALUE
	Solid or liquid propellants	6
	Propellants	
Wh	at evidence do you have regarding bulk propellants?	
		·
∃. Wea	Chemical Warfare Materiel (CWM) and Radiological pons:	VALUE
	Toxic chemical agents (choking, nerve, blood, blister)	25
	War Gas Identification Sets	20
•	Radiological	15
	Riot Control Agents (vomiting, tear)	5
Che	mical and Radiological (select the single largest value)	
Wha	at evidence do you have regarding chemical or radiological?	
ΓΟΤ of 61	TAL HAZARD SEVERITY VALUE (Sum of value A through E (maximum)	im

#### TABLE 1 HAZARD SEVERITY\*

DESCRIPTION	<u>CATEGORY</u>	HAZARD SEVERITY VALUE	
CATASTROPHIC	1	21 and/or greater	. ′
CRITICAL	${f II}$	10 to 20	,
MARGINAL	Ш	5 to 9	
NEGLIGIBLE	IV	1 to 4	
**NONE	V	<b>0</b>	

<sup>\*</sup>Apply Hazard Severity Category to Table 3

PART II. <u>Hazard Probability</u>. The probability that a hazard has been, or will be, created due to the presence and other rated factors of unexploded ordnance or explosive materials on a formerly used Department of Defense (DOD) site.

AREA, EXTENT, ACCESSIBILITY OF OE HAZARD (Circle all that apply)

<b>A</b> .	Locations of OE hazards:	ř			VALUI	3
	On the surface		•		:	5
	Within tanks, pipes, vessels, or other confined areas				4	1
. • •	Inside walls, ceilings, or other building/structure				•	3
	Subsurface	•		T.	7 2	2
Loca	tion (select the single largest value)		,			_
What	evidence do you have regarding the location of OE?	, , , , , ,				
•	•	•				

<sup>\*\*</sup>If hazard severity value is 0, you do not need to complete Part II of this form. Proceed to Part III and use a RAC score of 5 to determine your appropriate action.

		EP	1110-1-18 24 Apr 00
	Distance to nearest inhabited location/structure to be at risk from OE hazard (road, park, ground, building, etc.)		VALUE
~	Less than 1,250 feet		5
	1,250 feet to 0.5 mile		4
′	0.5 mile to 1.0 mile	-	3
	1.0 mile to 2.0 Miles		2
	Over 2 miles		_ 1
Dista	nce (select the single largest value)	-	
What	are the nearest inhabited structures/buildings?	,	*15
		; ,	· ·
C. meas boun	Number(s) of building(s) within a 2-mile radius ured from the OE hazard area, not the installation dary.		VALUE
	26 and over		5
Ē	16 to 25		. 4
	11 to 15		3
	6 to 10		2
·	1 to 5		1
			. 0
Num	ber of buildings (select the single largest value)		
Narra	ative:		
Taile			. ,
•			
D.	Types of Buildings (within a 2 mile radius)		VALUE
	Educational, child care, residential, hospitals hotels, commercial, shopping centers	•	5
	Industrial, warehouse, etc.		4

24 Apr 00			
Agricultural, forestry, etc.	-		3
Detention, correctional	•		2
No buildings			0
Types of buildings (select the single largest value)	· ·		· ·
Describe the types of buildings:			
E. Accessibility to site refers to access by humans to ordnance and explosives. Use the following guidance:			VALUE
No barrier nor security system			5
Barrier is incomplete (e.g., in disrepair or does not completely surround the site). Barrier is intended to deny egress from the site, as for a barbed wire fence for grazing.			4
A barrier (any kind of fence in good repair) but no separate means to control entry. Barrier is intended to deny access to the site.			3
Security Guard, but no barrier			2
Isolated site	,	.*	1
A 24-hour surveillance system (e.g., television monitoring or surveillance by guards or facility persocontinuously monitors and controls entry; or, an artificial or natural barrier (e.g., fence combined with a cliff) which completely surrounds the area; and, a means to control entry at all times through the gates or other entrances (e.g., an attendant, television monitors, locked entrances, or controlled roadway access to the area).	onnel		0
Accessibility (select the single largest value)	,		

DESCII	ibe the site accessibility:						
		•		· ·	· 		
·F.	Site Dynamics. This deals with site conditi	ions	٠.		•	VAI	LUE
are s	ubject to change in the future, but may be stal						<i>.</i>
erosi	e present. Examples would be excessive soil on on beaches or streams, increasing land dev	velopmer	nt				
	could reduce distances from the site to bited areas or otherwise increase accessibility	•		.*	ı		
	Expected						5
	None anticipated			. "		4	0
Site D	ynamics (select the single largest value)		; .			_	
Descr	ibe the site dynamics;				·		
				• • • • • • • • • • • • • • • • • • • •			
				,			

Apply this value to Hazard Probability Table 2 to determine the Hazard Probability Level.

### TABLE 2 HAZARD PROBABILITY

DESCRIPTION	LEVEL	HAZARD PROBABILITY
VALUE		
FREQUENT	A	27 or greater
PROBABLE	В	21 to 26
OCCASIONAL	· C .	15 to 20
REMOTE	D	8 to 14
IMPROBABLE	E	less than 8
•		·

<sup>\*</sup>Apply Hazard Probability Level to Table 3.

Part III. Risk Assessment. The risk assessment value for this site is determined using the following Table. Enter the results of the Hazard Probability and Hazard Severity values.

TABLE 3

PROBABILITY	FREQUENT	PROBABLE	OCCASIONAL	REMOTE IMPROBABLE
LEVEL	A	· <b>B</b>	(C)	D E
SEVERITY CATEGORY:				
CATASTROPHIC I CRITICAL II MARGINABLE III NEGLIGIBLE IV	1 1 2 3	1 2 3 4	2 3 4 4	3 4 4 5 4 5 5 5

# RISK ASSESSMENT CODE (RAC)

- RAC 1 Expedite INPR, recommending further action by USAESCH-Immediately call USAESCH-OE-S (comm 256-895-1582/1598).
- RAC 2 High priority on completion of INPR-Recommend further action by USAESCH.
- RAC 3 Complete INPR-Recommend further action by USAESCH.
- RAC 4 Complete INPR-Recommend further action by USAESCH.
- RAC 5 Usually indicates that No DOD Action Indicated (NDAI) is necessary, Submit NDAI and RAC to USAESCH.

PART IV. Narrative. Summarize the documented evidence that supports this risk assessment. If no documented evidence was available, explain all the assumptions that you made.